CIPP
6in

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

? CIP ~~Ref~~ Install 1949

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-144 - SMH-007-186	ROGERS	501 S 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/9/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	165.3		



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-001-179 - SMH-001-178	ROGERS	708 N 28TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
6/14/2021	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	288.5	1	

1 repair

At 288.5 ft
MSA - Abandoned Survey

-200.0 ft

1 Crack Before Joint + After

-100.0 ft



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-005-039 - SMH-005-037	ROGERS	801 N 7TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
1/24/2022	6	6	VCP	F

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	274.0	1	

5 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-005-039 - SMH-005-037	ROGERS	801 N 7TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
1/24/2022	6	6	VCP	F

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	274.0	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-038 - SMH-004-037		902, N, 13, PL,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/28/2017	6	6	VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	228.1	DRY	

3 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-038 - SMH-004-037		902, N, 13, PL,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/28/2017	6	6	VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	228.1	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-001-235 - SMH-001-234	ROGERS	907, N, RAVEN, RD,, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
11/20/2019	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	159.4	1	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	CO-001-330D - SMH-001-330	ROGERS	910 S 25TH PL

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
2/1/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	145.5		

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	CO-001-330D - SMH-001-330	ROGERS	910 S 25TH PL

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
2/1/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	145.5		

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Slip line

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-336 - SMH-001-335	ROGERS	929 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/12/2022	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	359.6	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-336 - SMH-001-335	ROGERS	929 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/12/2022	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	359.6	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-336A - SMH-001-336	ROGERS	929 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/12/2022	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	188.5	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-337 - SMH-001-336	ROGERS	1001 W DOGWOOD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/14/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	317.8	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-339A - SMH-001-33~~4~~3	ROGERS	1006 S 26TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/29/2022	6	6	VCP	H

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	165.5	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-366 - SMH-001-364	ROGERS	1012 S 28TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/4/2022	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	168.3	3	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-346 - SMH-001-343	ROGERS	1014 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/25/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	120.4	6	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-343 - SMH-001-345	ROGERS	1014 W ASH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/26/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	15.2	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-377 - SMH-001-354	ROGERS	1107 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/25/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	393.9	1	

3 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-341 - SMH-001-342	ROGERS	1112 S 26TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/11/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	294.7	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CFP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-151A - SMH-007-18	ROGERS	1121 W CYPRESS ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/13/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	163.8	1	

3 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-146 - SMH-007-145	ROGERS	1206 S 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/13/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	229.3	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-146 - SMH-007-145	ROGERS	1206 S 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/13/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	229.3	1	

At 229.3 ft
MSA - Abandoned Survey

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-069B - SMH-004-082		1208, W, EASY, ST,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
6/12/2017	6		VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	254.6	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-069B - SMH-004-082		1208, W, EASY, ST,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
6/12/2017	6		VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	254.6	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run Graph and Images

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-069B - SMH-004-082		1208, W, EASY, ST,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:	Weather:
6/12/2017	6		VCP	E	DRY

Direction:	Surveyed footage:	Operator:	Comments
UPSTREAM	254.6	101	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-069B - SMH-004-082		1208, W, EASY, ST,,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:	Weather:
6/12/2017	6		VCP	E	DRY

Direction:	Surveyed footage:	Operator:	Comments
UPSTREAM	254.6	101	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-145 - SMH-007-144	ROGERS	1209 S 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/9/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	256.1	1	

4 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-145 - SMH-007-144	ROGERS	1209 S 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/9/2021	6	6	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	256.1	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run Graph and Images

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-070 - SMH-004-069		1226,, BISHOP, ST, W,,

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:	Weather:
6/12/2017	6	0	VCP	G	DRY

Direction:	Surveyed footage:	Operator:	Comments
UPSTREAM	198.7	101	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-051 - SMH-004-050	ROGERS	1304, W, BISHOP, DR,, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
10/15/2020	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	18.2	1	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-007-025 - SMH-007-012	ROGERS	1310 W WOOD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
10/8/2019	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	161.5	5	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

~~Stop time~~

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-050 - SMH-004-049	ROGERS	1312, W, BISHOP, ST,, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/15/2017	6	6	VCP	BCRB

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	345.2	SATURATED	

3 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-050 - SMH-004-049	ROGERS	1312, W, BISHOP, ST,, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/15/2017	6	6	VCP	BCRB

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	345.2	SATURATED	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-004-050 - SMH-004-049	ROGERS	1312, W, BISHOP, ST,, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/15/2017	6	6	VCP	BCRB

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	345.2	SATURATED	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

~~Slip line~~

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-049 - SMH-004-048	ROGERS	1406,, BISHOP, ST, W, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/15/2017	6		VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	311.3	DRY	

6 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-049 - SMH-004-048	ROGERS	1406,, BISHOP, ST, W, ROGERS, AR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/15/2017	6		VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	311.3	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-004-053 - SMH-004-052	ROGERS	W SUNSET

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
3/8/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	129.1	1	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1949

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-002-104A - SMH-002-10	ROGERS	1501 S 15TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
11/1/2021	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	24.6	1	

2 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-011-040 - SMH-011-040 - A	ROGERS	2314 S 13TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
7/27/2021	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	94.6	1	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run Graph and Images

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-340 - SMH-001-341	ROGERS	2603 W MAGNOLIA ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:	Weather:
5/10/2022	6	6	VCP	Y	1

Direction:	Surveyed footage:	Operator:	Comments
UPSTREAM	250.0	577	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Main Inspection with Pipe-Run Graph

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-350 - SMH-001-348	ROGERS	2702 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:	Weather:
4/25/2022	6	6	VCP	Y	6

Direction:	Surveyed footage:	Operator:	Comments
Towards Downstream	293.7	583	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-338 - SMH-001-337	ROGERS	2705 W ASH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/16/2022	6	6	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	328.4	1	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CFP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-347 - SMH-001-346	ROGERS	1014 S 27TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/13/2022	6	6	VCP	H

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	298.5	1	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CJP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	CO-001-375A - SMH-001-375	ROGERS	2712 W FIR ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/25/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	69.4	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	CO-001-373A - SMH-001-373	ROGERS	2714 W GUM ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/26/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	120.2	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT1	SMH-001-332 - SMH-001-321	ROGERS	2746 W WHITE OAK DR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/6/2022	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	41.5	5	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-001-208-SMH-001-207		3007 W BEECHWOOD DR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
3/13/2018	6		VCP	EBY

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	405.6	DRY	

4 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-001-208-SMH-001-207		3007 W BEECHWOOD DR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
3/13/2018	6		VCP	EBY

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	405.6	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-001-208-SMH-001-207		3007 W BEECHWOOD DR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
3/13/2018	6		VCP	EBY

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	405.6	DRY	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-001-297 - SMH-001-296	ROGERS	3901 W LUPINE WAY

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/27/2021	6	6	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	39.7	1	



CIPP
8in

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1949 installed

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-009-024-SMH-009-023	ROGERS	101 S 3RD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
11/17/2021	8	8	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	5.0	1	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

slip line CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-052 - SMH-001-051	ROGERS	S 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/26/2022	8	8	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	296.3	3	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-052 - SMH-001-051	ROGERS	S 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/26/2022	8	8	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	296.3	3	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-053 - SMH-001-052	ROGERS	S 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/26/2022	8	8	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	290.0	3	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-053 - SMH-001-052	ROGERS	S 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/26/2022	8	8	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	290.0	3	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2022 LT2	SMH-001-573 - SMH-001-572	ROGERS	204 S 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
5/26/2022	8	8	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	129.7	3	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1949 install

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-119 - SMH-007-118	ROGERS	411 W CHESTNUT ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/10/2021	8	8	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	171.7	1	

3 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-119 - SMH-007-118	ROGERS	411 W CHESTNUT ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/10/2021	8	8	VCP	C

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	171.7	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

? redone
PVC
~~CIP~~ Slip line
go check

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-007-069B - SMH-007-06	ROGERS	522 N 5TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
4/9/2021	8	8	VCP	

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	411.2	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-011-116 - SMH-011-115	ROGERS	1904 S 11TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
3/22/2022	8	8	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	133.3	6	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-102 - SMH-003-100	ROGERS	2000 W TOWN WEST DR

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/17/2021	8	8	PVC	G

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	171.2	1	



CIPP
10in

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1999 install

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-013-082 - SMH-013-402	ROGERS	480 E VETERANS PKWY

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
10/29/2019	10	10	XXX	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	62.2	5	

1 repair



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-013-086 - SMH-013-085	ROGERS	1714 S H ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
10/29/2019	10	10	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	160.0	3	

3 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-013-086 - SMH-013-085	ROGERS	1714 S H ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
10/29/2019	10	10	VCP	D

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	160.0	3	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

1949 installed

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-012-168 - SMH-012-035	ROGERS	1901 S 9TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
7/19/2021	10	10	PVC	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	203.8	1	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1949 installed

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-012-035 - SMH-012-034	ROGERS	1905 S 9TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
7/19/2021	10	10	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	311.4	1	



CIPP
15in

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP 1949 installed

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-038A - SMH-003-038B	ROGERS	HUDSON RD

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/17/2021	15	15	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	164.9	1	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-035 - SMH-003-034	ROGERS	1050 W HUDSON RD

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/17/2021	15	15	VCP	Y

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	259.5	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-037 - SMH-003-036	ROGERS	1152 12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/18/2021	15	15	VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	161.7	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-036 - SMH-003-035	ROGERS	12TH STREET

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/18/2021	15	15	VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	438.1	1	

2 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

GRANITE XP
Pipeline Inspection and Integration Software

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-003-034 - SMH-003-033	ROGERS	12TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/18/2021	15	15	VCP	I

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	328.6	1	

1 repairs



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-239 - SMH-003-471	ROGERS	2005 N 13TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
8/20/2021	15	15	CAS	

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	220.0	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CFP

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-003-037A - SMH-003-037	ROGERS	2250 N 8TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/2/2021	15	15	VCP	Z

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	134.9	1	



CIPP
24in

CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

1999

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-002-039 - SMH-002-038	ROGERS	1906 W WOOD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/24/2021	24	24	VCP	I

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	385.1	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

1949

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 It2	SMH-002-040 - SMH-002-039	ROGERS	1906 W WOOD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/24/2021	24	24	VCP	I

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	305.3	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

1949

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-002-038 - SMH-002-024	ROGERS	2104 N 22ND ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/7/2021	24	24	VCP	I

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	126.6	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CIP

1949

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-002-023A - SMH-002-01	ROGERS	2306 W WOOD ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
9/8/2021	24	24	VCP	

Direction:	Surveyed footage:	Weather:	Tape/Media #
Downstream	71.9	1	



CUES, Inc.
3600 Rio Vista Avenue
Orlando, FL 32805
Phone: 407-849-0190
Fax: 407-425-1569

CJP 1949

Main Inspection with Pipe-Run and Scoring

Project Name:	Mainline ID:	City:	Address:
2017 lt2	SMH-002-011 - SMH-002-003	ROGERS	N 24TH ST

Start date/time:	Pipe width:	Pipe height:	Pipe type:	Surface condition:
2/8/2022	24	24	VCP	E

Direction:	Surveyed footage:	Weather:	Tape/Media #
UPSTREAM	19.1	4